In order to save space the following modules were changed:

mm.h

access.c

• Converted the following three functions to macros: get cam1 10, get mon, get kbd

alarms.c

- Added the following functions to handle the merged menus:
 get_contact_spc_parm, get_contact_parm, set_contact_spc_parm, set_contact_parm
- Removed the following functions(using a variable *offset* where the functions where called):

```
get_alm1_8_row, get_alm9_16_row
```

clock.c

- Removed the following function(not needed anymore because of the changes made to the TIME/DATE menu):
 get date parm
- Changed the following functions to reflect the changes made to the TIME/DATE menu:

```
get time date parm, set menu time date parm, init time date
```

• Added Spanish strings to the following function: get abrv month

keyboard.c

- Added the following function: reset kbd control
- Added Spanish strings to the following function: remove_kbd
- Removed the option to turn on/off Zone scans from the ASCII port(It is not necessary) from:
 process keyboard input

macros.c

• Added the following functions to handle the merged menus: get_macro_presets_parm, set_macro_presets_parm

main.c

- Changed the copy_right_string.
- Changed the following functions: *delay*,
- Changed the magic value and added the init_language function to: set sys defaults

monitors.c

• Added Spanish strings to the following function: disp mon state

newmenu.c

- Added the following four variables: language, input1 8, input17, NumberStrings
- Changed the following macros to allow the Spanish strings: ARGPART, LABELPART, MENUITEM, RETURN, SET, MSM_CAM_ITEM,